





GAS DECK OVENS FOR BAKING & ROASTING

LARGE

MODEL	DESCRIPTION	APPROXIMATE SHIPPING WEIGHT LBS/KG	(CUBE FT)	LIST PRICE
900 Series Large	Angle iron frame , stainless steel front, top, sides and back, 42" wide x 32" deep baking compartment, counter balanced doors, heavy chrome plated tubular steel door handle, aluminized steel combustion chamber and baking compartment, mechanical thermostat and steel deck. 2 year warranty. Available for general export use.			
	951 12" high baking compartment, 38,000 BTU per section.			
Single	One 951 base section with 27-1/2" adjustable s/s legs, s/s draft diverter or draft hood and Crown angle trim.	600/272	(64)	\$10,250
Double	Two 951 base sections with 7" adjustable s/s legs, s/s draft diverter or draft hood, large Crown angle trim and double gas connector.	1230/558	(128)	\$19,260
Base section	One base section (oven only).	540/245	(64)	\$9,150
	961 7" high baking compartment, 37,000 BTU per section.			
Single	One 961 base section with 27-1/2" adjustable s/s legs, s/s draft diverter or draft hood and large Crown angle trim.	540/245	(48)	\$10,205
Double	Two 961 base sections with 19" adjustable s/s legs, s/s draft diverter or draft hood, large Crown angle trim and double gas connector.	1085/492	(96)	\$19,495
Triple	Three 961 base sections with 7" adjustable s/s legs, s/s draft diverter or draft hood, crown angle trim and double gas connector.	1625/737	(144)	\$28,275
Base section	One base section (oven only).	455/206	(48)	\$9,105
	966 16-1/4" high baking compartment, 50,000 BTU per section.			
Single	One 966 base section with 19" adjustable s/s legs, s/s draft diverter or draft hood and large crown angle trim.	630/286	(62)	\$12,350
Double	Two 966 base sections with 7" adjustable s/s legs, s/s draft diverter or draft hood, large crown angle trim and double gas connector.	1190/540	(124)	\$23,520
Base section	One base section (oven only).	575/261	(62)	\$11,280
	981 Two 7" high baking compartments, 50,000 BTU per section.			
Single	One 981 base section with 27-1/2" adjustable s/s legs, s/s draft diverter or draft hood and large crown angle trim.	715/324	(64)	\$11,030
Double	Two 981 base sections with 7" adjustable s/s legs, s/s draft diverter, large crown angle trim and double gas connector.	1450/658	(128)	\$20,820
Base section	One base section (oven only).	650/295	(64)	\$9,930

GAS DECK OVENS FOR BAKING & ROASTING


LARGE


DECK OVENS

Combination models include one base section for each model, 7" s/s adjustable legs, stainless steel draft diverter or draft hood, large crown angle trim and double connector (double). Available for general export use.

981 & 951	\$20,040
981 & 961	\$19,995
951 & 966	\$21,390
981 & 966	\$22,170
961 & 966	\$21,345
961 & 951 (19" legs)	\$19,540
961, 961 & 951	\$28,320

SMALL

MODEL	DESCRIPTION	APPROXIMATE SHIPPING WEIGHT LBS/KG (CUBE FT)	LIST PRICE
	911 Angle iron frame , stainless steel front, top, sides and back, 33" wide x 22" deep x 7" high baking compartment, counter balanced doors, heavy chrome plated tubular steel door handle, aluminized steel combustion chamber and baking compartment, mechanical thermostat, steel deck, 20,000 BTU per section. 2 year warranty. Available for general export use.		
	Single One base section with 27-1/2" adjustable s/s legs, s/s draft diverter or draft hood, and small crown angle trim.	485/220 (48)	\$8,795
	Double Two base sections with 19" adjustable s/s legs, s/s draft diverter or draft hood, small crown angle trim and double gas connector.	895/406 (96)	\$16,685
	Triple Three base sections with 7"s/s legs, s/s draft diverter or draft hood, small crown angle trim and double gas connector.	1275/578 (144)	\$24,065
	Base section One base section (oven only).	410/186 (48)	\$7,705

	901 Angle iron frame , stainless steel front, top, sides and back, 33" wide x 22" deep x 12" high baking compartment, counter balanced doors, heavy chrome plated tubular steel door handle, aluminized steel combustion chamber and baking compartment, mechanical thermostat, steel deck, 22,000 BTU per section. 2 year warranty. Available for general export use.		
	Single One base section with 27-1/2" adjustable s/s legs, s/s draft diverter or draft hood, and small crown angle trim.	485/220 (48)	\$9,510
	Double Two base sections with 7" adjustable s/s legs, s/s draft diverter or draft hood, small crown angle trim and double gas connector.	970/440 (96)	\$17,790
Base section One base section (oven only).	410/186 (48)	\$8,420	

GAS PIZZA DECK OVENS

LARGE



**PIZZA DECK
Higher BTU**

Pie Size	Capacity
12"	8 pies
16"	5 pies

961P

Ultra-Rokite deck standard

Angle iron frame, stainless steel front, top, sides and back, 42" wide x 32" deep x 7" high baking compartment, counter balanced doors, heavy chrome plated tubular steel door handle, aluminized steel combustion chamber and baking compartment, mechanical thermostat, Ultra Rokite deck, 50,000 BTU per section. 2 year warranty. Available for general export use.

MODEL	DESCRIPTION	APPROXIMATE SHIPPING WEIGHT LBS/KG (CUBE FT)	LIST PRICE
Single	One 961P base section with 27-1/2" adjustable s/s legs, s/s draft diverter or draft hood and large crown angle trim.	725/329 (48)	\$11,570
Double	Two 961P base sections with 19" adjustable s/s legs, s/s draft diverter or draft hood, large crown angle trim and double gas connector.	1405/637 (96)	\$22,225
Base section	One base section (oven with Ultra Rokite deck).	675/306 (48)	\$10,470



Pie Size	Capacity
12"	11 pies
14"	6 pies
16"	5 pies

1048

Ultra-Rokite deck standard

Angle iron frame, stainless steel front, top, sides and back, 47-1/4" wide x 37" deep x 10" high baking compartment, spring assisted counter balanced doors, heavy chrome plated tubular steel door handle, aluminized steel combustion chamber and baking compartment, mechanical thermostat, Ultra Rokite deck, 85,000 BTU per section. 2 year warranty. Available for general export use.

Single	One base section with 32" s/s legs, s/s draft diverter or draft hood, and crown angle trim.	950/431 (61)	\$13,920
Double	Two base sections with 12" s/s legs, s/s crown angle leg frame, stainless steel draft diverter or draft hood, flue connector and crown angle trim.	1850/839 (122)	\$27,120
Add'l section	One base section with 12" s/s legs, s/s crown angle leg frame and flue connector.	930/422 (61)	\$14,015
Base section	One base section (oven with Ultra Rokite deck).	900/408 (61)	\$12,660



Pie Size	Capacity
12"	13 pies
14"	9 pies
16"	6 pies

1060

Ultra-Rokite deck standard

Angle iron frame, stainless steel front, top, sides and back, 60" wide x 37" deep x 10" high baking compartment, spring assisted counter balanced doors, heavy chrome plated tubular steel door handle, aluminized steel combustion chamber and baking compartment, mechanical thermostat, Ultra Rokite deck, 85,000 BTU per section. 2 year warranty. Available for general export use.

Single	One base section with 32" s/s legs, s/s draft diverter or draft hood, and crown angle trim.	1050/476 (76)	\$16,220
Double	Two base sections with 12" s/s legs, s/s crown angle leg frame, stainless steel draft diverter or draft hood, flue connector and crown angle trim.	2100/952 (152)	\$31,770
Add'l section	One base section with 12" s/s legs, s/s crown angle leg frame and flue connector.	1040/472 (76)	\$16,365
Base section	One base section (oven with Ultra Rokite deck).	1015/460 (76)	\$14,945

GAS PIZZA DECK OVENS

SMALL



Ultra-Rokite deck standard

**PIZZA DECK
Higher BTU**

Pie Size	Capacity
12"	4 pies
16"	2 pies

MODEL	DESCRIPTION	APPROXIMATE SHIPPING WEIGHT LBS/KG (CUBE FT)	LIST PRICE
911P	Angle iron frame , stainless steel front, top, sides and back, 33" wide x 22" deep x 7" high baking compartment, counter balanced doors, heavy chrome plated tubular steel door handle, aluminized steel combustion chamber and baking compartment, mechanical thermostat and Ultra Rokite deck, 27,000 BTU per section. 2 year warranty. Available for general export use.		
Single	One 911P base section with 27-1/2" adjustable s/s legs, s/s draft diverter or draft hood and small crown angle trim.	585/265 (48)	\$11,390
Double	Two 911P base sections with 19" adjustable s/s legs, s/s draft diverter or draft hood, double gas connector and small crown angle trim.	1130/512 (96)	\$21,875
Triple	Three 911P base sections with 7" s/s legs, s/s draft diverter or draft hood, small crown angle trim and double gas connector.	1640/744 (144)	\$31,850
Base section	One base section (oven with Ultra Rokite deck).	500/227 (48)	\$10,300

ELECTRIC DECK OVENS



MODEL	DESCRIPTION	APPROXIMATE SHIPPING WEIGHT LBS/KG (CUBE FT)	LIST PRICE
1415	Stainless steel front, top and sides, 20" wide x 20" deep x 9" high baking compartment, counter balanced doors, heavy chrome plated tubular steel door handle, unibody construction, aluminized steel combustion chamber and baking compartment, solid-state digital control, Cordierite deck, 3750 watts per section. 2 year warranty. Available for general export use.		
Single	One base section with 4" stainless steel legs.	215/98 (13)	\$5,495
Double	Two base sections with 4" stainless steel legs and stacking kit.	430/195 (26)	\$11,085
Base section	One base section (oven only).	210/95 (13)	\$5,360

SPECIFICATIONS

GAS BAKING & ROASTING OVENS

Model	911			901			951			961			966			981		
DIMENSIONS	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT
Interior (inches)	33"	22"	7"	33"	22"	12"	42"	32"	12"	42"	32"	7"	42"	32"	16 1/4"	42"	32"	7"
Exterior (inches)	51"	30"	22"	51"	30"	27"	60"	40"	27"	60"	40"	22"	60"	40"	32"	60"	40"	31 1/2"
Single section height	48 1/4"			53 1/4"			53 1/4"			48 1/4"			49 3/8"			57 3/4"		
Double section height	62 1/8"			58 15/16"			58 15/16"			60 9/16"			67 7/8"			67 13/16"		
Compartments	1			1			1			1			1			2		
SHIPPING WEIGHT	410			410			540			455			575			650		
CONSTRUCTION	Angle Iron																	
Assembly	Angle Iron																	
Door operation	Drop down																	
Door style	Counterbalanced																	
Deck	Steel																	
OPERATION	Natural/Convection/Radiant																	
Heating method	Natural/Convection/Radiant																	
GAS	MAN	MIN	MAX	MAN	MIN	MAX	MAN	MIN	MAX	MAN	MIN	MAX	MAN	MIN	MAX	MAN	MIN	MAX
Natural (" W.C.)	6.0"	7.0"	10.5"	6.0"	7.0"	10.5"	6.0"	7.0"	10.5"	6.0"	7.0"	10.5"	6.0"	7.0"	10.5"	6.0"	7.0"	10.5"
L.P. (" W.C.)	10.0"	11.0"	13.0"	10.0"	11.0"	13.0"	10.0"	11.0"	13.0"	10.0"	11.0"	13.0"	10.0"	11.0"	13.0"	10.0"	11.0"	13.0"
BTU/Hr.	20,000			22,000			38,000			37,000			50,000			50,000		
CLEARANCE	LEFT	RIGHT	REAR	LEFT	RIGHT	REAR	LEFT	RIGHT	REAR	LEFT	RIGHT	REAR	LEFT	RIGHT	REAR	LEFT	RIGHT	REAR
	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"

GAS PIZZA OVENS

Model	911P			961P			1048			1060		
DIMENSIONS	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT
Interior (inches)	33"	22"	7"	42"	32"	7"	47 1/4"	37"	10"	60"	36 1/2"	10"
Exterior (inches)	51"	30"	22"	60"	40"	22"	60 3/8"	46 1/2"	25"	78 1/4"	46 1/8"	25"
Single section height	48 1/4"			48 1/4"			56 1/4"			56 1/4"		
Double section height	62 1/8"			60 9/16"			64 3/8"			64 3/8"		
Compartments	1			1								
SHIPPING WEIGHT	500			675			900			1015		
Base section (lbs.)	500			675			900			1015		
CONSTRUCTION	Angle Iron			Angle Iron			Angle Iron			Angle Iron		
Assembly	Angle Iron			Angle Iron			Angle Iron			Angle Iron		
Door operation	Drop down			Drop down			Drop down			Drop down		
Door style	Counterbalanced			Counterbalanced			Drop down			Drop down		
Deck	Ultra Rokite			Ultra Rokite			Ultra Rokite			Ultra Rokite		
OPERATION	Natural/Convection/Radiant											
Heating method	Natural/Convection/Radiant											
GAS	MAN	MIN	MAX	MAN	MIN	MAX	MAN	MIN	MAX	MAN	MIN	MAX
Natural (" W.C.)	6.0"	7.0"	10.5"	6.0"	7.0"	10.5"	3.5"	7.0"	10.5"	3.5"	7.0"	10.5"
L.P. (" W.C.)	10.0"	11.0"	13.0"	6.0"	7.0"	10.5"	3.5"	7.0"	10.5"	3.5"	7.0"	10.5"
BTU/Hr.	27,000			50,000			85,000			85,000		
CLEARANCE	LEFT	RIGHT	REAR	LEFT	RIGHT	REAR	LEFT	RIGHT	REAR	LEFT	RIGHT	REAR
	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"

SPECIFICATIONS

ELECTRIC DECK OVENS

Model		1415		
DIMENSIONS		WIDTH	DEPTH	HEIGHT
Interior (Inches)		20"	20"	9"
Exterior (Inches)		27 1/4"	25 5/8"	16 1/4"
Single Section Height		20 3/4"		
Double Section Height		37 1/4"		
Compartments		1		
SHIPPING WEIGHT		210		
Base section (lbs.)				
CONSTRUCTION		Unibody		
Assembly		Drop down		
Door operation		Counterbalanced		
Door style		Cordierite		
Deck				
OPERATION		Natural/Convection/Radiant		
Heating method				
ELECTRICAL		3750 Watts		
kW				
CLEARANCE		LEFT	RIGHT	REAR
		2"	2"	2"

PERFORMANCE

SIMPLY THE BEST Blodgett, the worlds number one manufacturer of Deck Ovens, continues to build outstanding Baking, Roasting and Pizza Ovens that offer you decades of reliability, making you money all day, every day.



RELIABILITY

Simplicity of design and quality construction throughout assure years of trouble-free operation. Blodgett provides the strongest warranty in the business with a standard five-year door warranty!

Full Angle Iron Frame:

With every Blodgett oven, you get a full angle iron foundation. This Blodgett advantage means your oven will keep its structural integrity even after decades of rigorous use.

Long Life Burners:

We custom make our own burners from heavy steel piping. Our state-of-the-art drilling system ensures that the ports are accurately positioned for optimum heat distribution. What's more our gas models do not require any electrical connection.



OPTIONS & ACCESSORIES

LIST PRICE

OPTIONS & ACCESSORIES	901	911	911P	951	961	961P	966	981	1415	1048	1060
LEG AND STAND OPTIONS											
32" stainless-steel legs (set) <i>(n/a with casters)</i>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$815	\$815
27 ¹ / ₂ " stainless-steel legs (set)	\$715	\$715	\$715	\$715	\$715	\$715	\$715	\$715	N/A	N/A	N/A
19" stainless-steel legs (set)	\$685	\$685	\$685	\$685	\$685	\$685	\$685	\$685	N/A	N/A	N/A
12" stainless-steel legs (set)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$605	\$605
7" stainless-steel legs (set)	\$360	\$360	\$360	\$360	\$360	\$360	\$360	\$360	N/A	N/A	N/A
Casters (set)*	\$870	\$870	\$870	\$870	\$870	\$870	\$870	\$870	N/A	\$870	\$870
4" stainless steel legs (set)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$135	N/A	N/A
INTERIOR AND DECK OPTIONS											
Cordierite deck	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Std.	N/A	N/A
Steel deck	Std.	Std.	N/C	Std.	Std.	N/C	Std.	Std.	N/A	N/C	N/C
Ultra Rokite (per deck)	\$940	\$940	Std.	\$1,140	\$1,140	Std.	\$1,140	\$1,140	N/A	\$1,450	\$1,775
Steel center shelf (with element)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/C	N/A	N/A
Steel bottom deck	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/C	N/A	N/A
Steam jets (per deck)	\$240	\$240	\$240	\$310	\$310	\$310	\$310	\$310	N/A	N/A	N/A

*Do not deduct cost of legs.

OPTIONS & ACCESSORIES

LIST PRICE

OPTIONS & ACCESSORIES	901	911	911P	951	961	961P	966	981	1415	1048	1060
EXTERIOR OPTIONS											
Crown angle trim, stainless-steel	\$155	\$155	\$155	\$165	\$165	\$165	\$165	\$165	N/A	\$225	\$240
Crown angle leg frame assembly, stainless-steel	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$660	\$725
Stacking kit (used on bottom unit)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$230	N/A	N/A
VENT AND CONNECTOR OPTIONS											
Flue connector	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$90	\$90
Draft diverter or draft hood, stainless-steel	\$220	\$220	\$220	\$220	\$220	\$220	\$220	\$200	N/A	\$220	\$220
Double gas connector	\$215	\$215	\$215	\$215	\$215	\$215	\$215	\$215	N/A	N/A	N/A
48" flexible gas hose with quick disconnect & restraining device	\$475	\$475	\$475	\$475	\$475	\$475	\$475	\$475	\$475	\$475	\$475
36" flexible gas hose with quick disconnect & restraining device	\$435	\$435	\$435	\$435	\$435	\$435	\$435	\$435	\$435	\$435	\$435
CONTROL OPTIONS <i>(per section)</i>											
FTDO 200°-500° temperature control	Std.	Std.	N/C	Std.	Std.	N/C	Std.	Std.	N/A	N/A	N/A
FDTH 300°-650° temperature control	N/C	N/C	Std.	N/C	N/C	Std.	N/C	N/C	N/A	Std.	Std.
Solid-state digital display (150°-500°F)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Std.	N/A	N/A